



10/743,253.

CofC

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Re: Attorney Docket No. Carr 8-4-5

In re application of: Dustin W. Carr; Ho Bun Chan; and Alex T. Tran

Patent No.: US 7,212,693 B2

Issued: 05/01/2007

Matter No.: 990.0502

For: Optical Substance Analyzer

**PETITION FOR
CERTIFICATE OF CORRECTION**

Attn: Certificate of Correction
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

Enclosed is a Certificate of Correction listing errors that appear in the above-referenced patent.

In References Cited, Reference Duveneck et al. US 2003/0108291 cited by the Examiner is not listed. Support for this correction is found on Form PTO-892 from office action dated 08/03/06.

* * * *

Certification Under 37 CFR 1.8

Date of Deposit June 19, 2007

I hereby certify that this correspondence is being deposited in the United States Postal Service with sufficient postage as first class mail under 37 CFR 1.8 on the date indicated above and is addressed to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Leighann Madeksiak
(Name of person mailing)

Leighann Madeksiak
(Signature of person mailing)

Certificate
JUN 25 2007
of Correction

JUN 26 2007

In References Cited, replace "Dotsen ko" with --Dotsenko--. Support for this correction is found on PTO-1449, reference BC, of the Information Disclosure Statement filed on 06/01/05, and received by the United States Patent and Trademark Office on 06/03/05.

In References Cited, replace "Sequola" with --Sequoia--. Support for this correction is found on PTO-1449, reference BC, of the Information Disclosure Statement filed on 06/01/05, and received by the United States Patent and Trademark Office on 06/03/05.

In References Cited, replace "vol. 2 or 2" with --vol. 2 of 2--. Support for this correction is found on PTO-1449, reference BD, of the Information Disclosure Statement filed on 06/01/05, and received by the United States Patent and Trademark Office on 06/03/05.


In References Cited, replace "Blosensor" with --Biosensor--. Support for this correction is found on PTO-1449, reference AB, of the Information Disclosure Statement filed on 12/22/03 with the initial filing of the patent application.

In column 6, line 63, replace "waveauide" with --waveguide--. Support for this correction is found on page 5, line 7, of the amendment filed on 05/15/06, and received by the United States Patent and Trademark Office on 05/18/06.

[X] The Commissioner is hereby authorized to charge payment of any fees required under 37 CFR §§ 1.20(a) associated with this communication or credit any overpayment to **Mendelsohn & Associates, P.C. Deposit Account No. 50-0782.**

Respectfully submitted,

Date: 06/19/07
Customer No. 46850
Mendelsohn & Associates, P.C.
1500 John F. Kennedy Blvd., Suite 405
Philadelphia, Pennsylvania 19102


Yuri Gruzdkov
Registration No. 50,762
Agent for Applicant
(215) 557-8544

Enclosures

JUN 26 2007

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO. : US 7,212,693 B2
DATED : May 1, 2007
INVENTOR(S) : Dustin W. Carr, Ho Bun Chan, and Alex T. Tran

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

In References Cited, Reference Duveneck et al. US 2003/0108291 cited by the Examiner is not listed.
In References Cited, replace "Dotsen ko" with --Dotsenko--.
In References Cited, replace "Sequola" with --Sequoia--.
In References Cited, replace "vol. 2 or 2" with --vol. 2 of 2--.
In References Cited, replace "Blosensor" with --Biosensor--.
In column 6, line 63, replace "waveauide" with --waveguide--.

MAILING ADDRESS OF SENDER:

Yuri Gruzdkov
Mendelsohn & Associates, P.C.
1500 John F. Kennedy Blvd., Suite 405
Philadelphia, PA 19102

PATENT NO. 7,212,693

No. of additional copies

